



# PYEWOOD VARNISH

*Polyurethane varnish*

### DESCRIPTION

PYEWOOD VARNISH is a clear air-drying polyurethane/alkyd resin based formula designed to provide a tough wear-resistant finish on all internal timber surfaces in a single can. It gives a satin covering with resistance to water, wear and tear.

### SUITABLE FOR

Recommended use for parquet, paneling, doors, furniture, interior particleboard, cork tiles etc.

### DIRECTIONS FOR USE

#### **Surface preparation**

Clean wood surface with turpentine to remove grease etc. Fill nail holes or defects with PYEWOOD FILLER. Sand to a smooth finish. Remove dust.

#### **Application**

Stir thoroughly before application. PYEWOOD VARNISH is a ready-to-use product. If however, thinning is required, add 10 - 15 % white spirit. Sand lightly between coats.

Allow 4 - 6 hours drying time between each coat. Minimum of 2 coats are required but 3 coats are recommended for best results. Light walking traffic is permissible after 12 hours. Drying time may vary, depending on the humidity of the air.

For brush or roller application: use direct or thin with 10% white spirit. For conventional air spray: thin with 10 - 15% white spirit.



Product Code : REWV

### PRODUCT CHARACTERISTICS

<i>Colour</i>	Clear
<i>Form</i>	Viscous liquid
<i>Odour</i>	Solvent odour
<i>Texture</i>	Gloss
<i>S.g.</i>	0.8 - 0.9
<i>Viscosity</i>	13,000 - 15,000cps at spindle 1 (6rpm, 28 C).
<i>Drying time</i>	Allow 4-6 hours between coats.
<i>Cleaning</i>	Clean tools and equipment with turpentine.
<i>Storage</i>	Close lid tightly after use.
<i>Fire Risk</i>	Flammable. Keep away from source of ignition.

### PACKING

250ml, 1lit, 5lit & 20lit

All information contained within this brochure is only intended to give a fair description of the products and their capabilities under specific test conditions. However, it does not constitute an offer of warranty by the manufacturer nor a guarantee of its accuracy or completeness in describing the performance or suitability of the various products.